

Cypress Lighting Technologies, LLC



P.O. Box 912 Robert, Louisiana 70455
985-817-9100



60W/100W/120W
150W/200W/240W/300W



Description:

LED Shoebox is perfect fixture for medium height parking lot poles and new construction applications in industrial, warehouse, manufacturing, commercial, office, residential, and hospitality facilities.



Parameters:

IN STOCK

IN STOCK

Model No.	CL-SB01-60W	CL-SB01-100W	CL-SB01-120W	CL-SB01-150W	CL-SB01-200W	CL-SB01-240W	CL-SB01-300W
Watts	60W	100W	120W	150W	200W	240W	300W
Efficacy	130lm/W						
Input voltage	100-277VAC /200-480VAC						
Distribution	Type II/ Type III /Type IV/Type V						
Color Temperature	4000K/5000K/ 5700K						
Operating Temperature	-40°F to 104°F (-40°C to +40°C)						
Color Rendering Index	Ra>70						
IP Rating	IP65						
Power Factor	≥0.95						
Frequency	50/60Hz						
Surge Protection	100-277VAC: L/N-PE: 10KV, L-N: 6KV/200-480VAC: L/N-PE: 4KV, L-N: 2KV						
Certification	UL/cUL/DLC/FCC						
Housing	Die-cast Aluminum						
Finish	Bronze/Black/Customized (Optional)						
Life Time	>50,000Hrs						
Warranty	5 Years						
Additional function	Dimming/Photocell/Motion Sensor						

Accessories:

● Mounting Options



Direct (DI)



Slip Fitter (SF)



Square / Round Pole Bracket (SR)



Trunnion (TR)

● Additional Options



Microwave motion sensor



Lightning arrester



Socket base of photocell



Shorting cap



Photocell (dusk to dawn)

Series Overview:


Input Voltage: 100-277VAC:

Model	CL-SB-60W	CL-SB-100W	CL-SB-120W	CL-SB-150W	CL-SB-200W	CL-SB-240W	CL-SB-300W
Power	60W	100W	120W	150W	200W	240W	300W
Lumious Flux 130lm/W	7800LM	13000LM	15600LM	19500LM	26000LM	31200LM	39000LM
Replaces HID	180W	320W	400W	450W	600W	750W	1000W
LEDs Quantity	68	98	126	154	196	252	308

Input Voltage: 200-480VAC:

Model	CL-SB-HV-100W	CL-SB-HV-150W	CL-SB-HV-200W	CL-SB-HV-300W
Power	100W	150W	200W	300W
Lumious Flux 130lm/W	13000LM	19500LM	26000LM	39000LM
Replaces HID	320W	450W	600W	1000W
LEDs Quantity	98	154	196	308

Product Dimensions:



60-150W

200-300W

Packing:

Item	Qty/CTN	Carton Size	Gross Weight	20GP	40GP	40HQ
60W	1PCS	600 X 375 X150mm 23.62" X 14.76" X5.90"	6.9KG - SF	823pcs	1588pcs	2000pcs
100W			7.1KG - DI			
			6.8KG - TR			
120W			6.9KG - SF			
			7.1KG - DI			
150W			6.8KG - TR			
		6.82KG - SF	636pcs	1227pcs	1545pcs	
200W		7.12KG - DI				
		6.7KG - TR				
240W		6.82KG - SF				
		7.12KG - DI				
300W		6.7KG - TR				
	9.75KG - SF					
200W	9.97KG - DI					
	9.53KG - TR					
240W	9.75KG - SF					
	9.97KG - DI					
300W	9.53KG - TR					
	10.3KG - SF					
240W	10.6KG - DI					
	10.15KG - TR					